

THERMAL ABLATION MODELING VIA BIOHEAT EQUATION

Agnieszka Bartłomiejczyk,¹ Henryk Leszczyński² and Artur Poliński³

¹Faculty of Applied Physics and Mathematics, Gdańsk University of Technology,

ul. Gabriela Narutowicza 11/12, 80-233 Gdańsk,

²Institute of Mathematics, University of Gdańsk,

ul. Wita Stwosza 57, 80-952 Gdańsk,

³Faculty of Electronics, Telecommunications and Informatics, Gdańsk University of Technology, ul. Gabriela Narutowicza 11/12, 80-233 Gdańsk,

¹agnes@mif.pg.gda.pl,²hleszcz@mat.ug.edu.pl, ³apoli@biomed.eti.pg.gda.pl

ABSTRACT

We consider Pennes' bioheat equation and discuss an implicit numerical scheme which has better stability properties than other approaches. Our discussion concerns Carthesian geometry problems, however it carries over to spherical geometry models and more complicated shapes.

REFERENCES

- [1] B. Buttner: Effects of extreme heat on man, JAMA 144 (1950), 732-738.
- [2] X. Chen and G.M. Saidel: *Mathematical Modeling of Thermal Ablation in Tissue Surrounding a Large Vessel*, Journal of Biomechanical Engineering **131** (2009), 011001-1–011001-5.
- [3] J.W. Durkee, P.P. Antich, and C.E. Lee: Exact solutions to the multiregion time-dependent bioheat equation. I: Solution development, Phys. Med. Biol. 35 (1990), 847–867.
- [4] S. Ramadhyani, J.P. Abraham, and E.M. Sparrow W.J. Minkowycz and E.M. Sparrow (eds.): A Mathematical Model to Predict Tissue Temperatures and Necrosis during Microwave Thermal Ablation of the Prostate, Advances in Numerical Heat Transfer, CRC Press, vol. 3, 2009.
- [5] Tzu-Ching Shih, Ping Yuan, Win-Li Lin, and Hong-Sen Kou: Analytical analysis of the Pennes bioheat transfer equation with sinusoidal heat flux condition on skin surface, Medical Engineering & Physics 29 (2007), 946–953.
- [6] J.J. Zhao, J. Zhang, N. Kang, and F. Yang: A two level finite difference scheme for one dimensional Pennes bioheat equation, Applied Mathematics and Computation 171 (2005), 320–331.